



**Aquilant** 

Aquilant House, Unit B1-B2 Bond Close,  
Kingsland Business Park, Basingstoke,  
Hampshire, RG24 8PZ

T: +44 (0) 1256 365 454  
F: +44 (0) 1256 365 486

E: [contactus@aquilantservices.com](mailto:contactus@aquilantservices.com)  
W: [www.aquilantservices.com](http://www.aquilantservices.com)



**Ureteral stent set  
Opti-J 2 in 1**

- Material: polyurethane
- 2 possibilities of use:  
- steerable or non steerable
- Application system
- Marking




## Ureteral stent set Opti-J


**distal end closed with guide wire, 150 cm and fixation clip**

| order code<br><b>Opti-J</b> ■ | guide-wire length | Ø   | length<br> |      | guide-wire |
|-------------------------------|-------------------|-----|----------------------------------------------------------------------------------------------|------|------------|
|                               | cm                | CH  | A cm                                                                                         | B cm | Ø / inch   |
| 8100-0200                     | 125               | 4,5 | 18                                                                                           | 14   | .032       |
| 8100-0300                     |                   |     | 20                                                                                           | 16   |            |
| 8100-0400                     |                   |     | 22                                                                                           | 18   |            |
| 8100-0600                     |                   |     | 26                                                                                           | 22   |            |
| 8100-0700                     |                   |     | 28                                                                                           | 24   |            |
| 8100-0800                     |                   |     | 30                                                                                           | 26   |            |
| 8100-0900                     |                   |     | 32                                                                                           | 28   |            |
| 8100-0950                     | 150               | 4,5 | 34                                                                                           | 30   | .035       |
| 8100-1400                     |                   |     | 24                                                                                           | 20   |            |
| 8100-1500                     |                   |     | 26                                                                                           | 22   |            |
| 8100-1600                     |                   |     | 28                                                                                           | 24   |            |
| 8100-1700                     |                   |     | 30                                                                                           | 26   |            |
| 8100-1800                     |                   |     | 32                                                                                           | 28   |            |
| 8100-1850                     |                   |     | 34                                                                                           | 30   |            |
| 8100-1860                     |                   |     | 36                                                                                           | 32   |            |
| 8100-1900                     |                   | 6   | 26                                                                                           | 22   |            |
| 8100-2000                     |                   |     | 28                                                                                           | 24   |            |
| 8100-2100                     |                   |     | 30                                                                                           | 26   |            |
| 8100-2200                     |                   |     | 32                                                                                           | 28   |            |
| 8100-2250                     |                   |     | 34                                                                                           | 30   |            |
| 8100-2260                     |                   | 7   | 36                                                                                           | 32   |            |
| 8100-2300                     |                   |     | 26                                                                                           | 22   |            |
| 8100-2400                     |                   |     | 28                                                                                           | 24   |            |
| 8100-2500                     |                   |     | 30                                                                                           | 26   |            |
| 8100-2600                     |                   |     | 32                                                                                           | 28   |            |
| 8100-2650                     |                   | 8   | 34                                                                                           | 30   |            |
| 8100-2660                     |                   |     | 36                                                                                           | 32   |            |
| 8100-2660                     |                   |     | 36                                                                                           | 32   | .038       |


**both ends open - side holes only in pigtail with guide wire, 150 cm**

| order code<br><b>Opti-J</b> ■ | guide-wire length | Ø   | length<br> |      | guide-wire |
|-------------------------------|-------------------|-----|------------------------------------------------------------------------------------------------|------|------------|
|                               | cm                | CH  | A cm                                                                                           | B cm | Ø / inch   |
| 8200-0610                     | 150               | 4,5 | 26                                                                                             | 22   | .032       |
| 8200-0710                     |                   |     | 28                                                                                             | 24   |            |
| 8200-0810                     |                   |     | 30                                                                                             | 26   |            |
| 8200-0910                     |                   |     | 32                                                                                             | 28   |            |
| 8200-1510                     |                   | 6   | 26                                                                                             | 22   | .035       |
| 8200-1610                     |                   |     | 28                                                                                             | 24   |            |
| 8200-1710                     |                   |     | 30                                                                                             | 26   |            |
| 8200-1810                     |                   |     | 32                                                                                             | 28   |            |
| 8200-1870                     |                   |     | 34                                                                                             | 30   |            |
| 8200-1910                     |                   | 7   | 26                                                                                             | 22   |            |
| 8200-2010                     |                   |     | 28                                                                                             | 24   |            |
| 8200-2110                     |                   |     | 30                                                                                             | 26   |            |
| 8200-2210                     |                   |     | 32                                                                                             | 28   |            |
| 8200-2270                     |                   |     | 34                                                                                             | 30   |            |
| 8200-2310                     |                   | 8   | 26                                                                                             | 22   | .038       |
| 8200-2410                     |                   |     | 28                                                                                             | 24   |            |
| 8200-2510                     |                   |     | 30                                                                                             | 26   |            |
| 8200-2610                     |                   |     | 32                                                                                             | 28   |            |
| 8200-2670                     |                   |     | 34                                                                                             | 30   |            |

box: 5 units


**Ureteral stent set  
Opti-J 2 in 1**


- Material: polyurethane
- 2 possibilities of use:
  - steerable or non steerable
- Application system
- Marking



## Ureteral stent set Opti-J



both ends open - side holes only in pigtail **without** guide wire

| order code<br><b>Opti-J</b> ■ | Ø    | length<br> |      | guide-wire<br>Ø / inch |
|-------------------------------|------|----------------------------------------------------------------------------------------------|------|------------------------|
|                               |      | A cm                                                                                         | B cm |                        |
| 8200-1640                     | CH 6 | 28                                                                                           | 24   | .035                   |
| 8200-1740                     |      | 30                                                                                           | 26   |                        |
| 8200-1860                     |      | 32                                                                                           | 28   |                        |
| 8200-1880                     |      | 34                                                                                           | 30   |                        |
| 8200-2040                     | 7    | 28                                                                                           | 24   |                        |
| 8200-2140                     |      | 30                                                                                           | 26   |                        |
| 8200-2260                     |      | 32                                                                                           | 28   |                        |
| 8200-2280                     |      | 34                                                                                           | 30   |                        |
| 8200-2440                     | 8    | 28                                                                                           | 24   | .038                   |
| 8200-2540                     |      | 30                                                                                           | 26   |                        |
| 8200-2660                     |      | 32                                                                                           | 28   |                        |
| 8200-2680                     |      | 34                                                                                           | 30   |                        |

box: 5 units

**Ureteral stent set**


- Material: polyurethane
- Pusher
- Marking



## Ureteral stent set




*both ends open with guide wire, 150 cm*


| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø   | length<br> |      | guide-wire |
|---------------------------------|--------------------------------|-----|-----------------------------------------------------------------------------------------------|------|------------|
|                                 |                                | CH  | A cm                                                                                          | B cm | Ø / inch   |
| 3004-0300                       | 3034-0300                      | 4,5 | 26                                                                                            | 22   | .032       |
| 3004-0400                       | 3034-0400                      |     | 28                                                                                            | 24   |            |
| 3004-0500                       | 3034-0500                      |     | 30                                                                                            | 26   |            |
| 3004-0600                       | 3034-0600                      |     | 32                                                                                            | 28   |            |
| 3004-1000                       |                                | 6   | 20                                                                                            | 16   | .035       |
| 3004-1200                       |                                |     | 24                                                                                            | 20   |            |
| 3004-1300                       | 3034-1300                      |     | 26                                                                                            | 22   |            |
| 3004-1400                       | 3034-1400                      |     | 28                                                                                            | 24   |            |
| 3004-1500                       | 3034-1500                      |     | 30                                                                                            | 26   |            |
| 3004-1600                       | 3034-1600                      |     | 32                                                                                            | 28   |            |
| 3004-1700                       | 3034-1650                      |     | 34                                                                                            | 30   |            |
| 3004-1800                       | 3034-1800                      |     | 36                                                                                            | 32   |            |
| 3004-2300                       | 3034-2300                      | 7   | 26                                                                                            | 22   |            |
| 3004-2400                       | 3034-2400                      |     | 28                                                                                            | 24   |            |
| 3004-2500                       | 3034-2500                      |     | 30                                                                                            | 26   |            |
| 3004-2600                       | 3034-2600                      |     | 32                                                                                            | 28   |            |
| 3004-2700                       | 3034-2650                      | 8   | 34                                                                                            | 30   | .038       |
| 3004-2800                       | 3034-2800                      |     | 36                                                                                            | 32   |            |
| 3004-3300                       | 3034-3300                      |     | 26                                                                                            | 22   |            |
| 3004-3400                       | 3034-3400                      |     | 28                                                                                            | 24   |            |
| 3004-3500                       | 3034-3500                      | 8   | 30                                                                                            | 26   |            |
| 3004-3600                       | 3034-3600                      |     | 32                                                                                            | 28   |            |
| 3004-3700                       | 3034-3700                      |     | 34                                                                                            | 30   |            |
| 3004-3800                       | 3034-3800                      |     | 36                                                                                            | 32   |            |



*both ends open without guide wire*

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø   | length<br> |      | guide-wire |
|---------------------------------|--------------------------------|-----|-------------------------------------------------------------------------------------------------|------|------------|
|                                 |                                | CH  | A cm                                                                                            | B cm | Ø / inch   |
| 3004-0330                       | 3034-0330                      | 4,5 | 26                                                                                              | 22   | .032       |
| 3004-0430                       | 3034-0430                      |     | 28                                                                                              | 24   |            |
| 3004-0530                       | 3034-0530                      |     | 30                                                                                              | 26   |            |
| 3004-0630                       | 3034-0630                      |     | 32                                                                                              | 28   |            |
| 3004-1330                       | 3034-1330                      | 6   | 26                                                                                              | 22   | .035       |
| 3004-1430                       | 3034-1430                      |     | 28                                                                                              | 24   |            |
| 3004-1530                       | 3034-1530                      |     | 30                                                                                              | 26   |            |
| 3004-1630                       | 3034-1630                      |     | 32                                                                                              | 28   |            |
| 3004-1730                       | 3034-1730                      |     | 34                                                                                              | 30   |            |
| 3004-1830                       | 3034-1830                      |     | 36                                                                                              | 32   |            |
| 3004-2330                       | 3034-2330                      | 7   | 26                                                                                              | 22   |            |
| 3004-2430                       | 3034-2430                      |     | 28                                                                                              | 24   |            |
| 3004-2530                       | 3034-2530                      |     | 30                                                                                              | 26   |            |
| 3004-2630                       | 3034-2630                      |     | 32                                                                                              | 28   |            |
| 3004-2730                       | 3034-2730                      | 8   | 34                                                                                              | 30   | .038       |
| 3004-2830                       | 3034-2830                      |     | 36                                                                                              | 32   |            |
| 3004-3330                       | 3034-3330                      |     | 26                                                                                              | 22   |            |
| 3004-3430                       | 3034-3430                      |     | 28                                                                                              | 24   |            |
| 3004-3530                       | 3034-3530                      | 8   | 30                                                                                              | 26   |            |
| 3004-3630                       | 3034-3630                      |     | 32                                                                                              | 28   |            |
| 3004-3730                       | 3034-3730                      |     | 34                                                                                              | 30   |            |
| 3004-3830                       | 3034-3830                      |     | 36                                                                                              | 32   |            |

box: 10 units

**Ureteral stent set**


- Material: polyurethane
- Pusher
- Marking



## Ureteral stent set




distal end closed **with** guide wire, 150 cm and fixation clip

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø   | length<br> |      | guide-wire |
|---------------------------------|--------------------------------|-----|-----------------------------------------------------------------------------------------------|------|------------|
|                                 |                                | CH  | A cm                                                                                          | B cm | Ø / inch   |
| 3003-0300                       | 3033-0300                      | 4,5 | 26                                                                                            | 22   | .032       |
| 3003-0400                       | 3033-0400                      |     | 28                                                                                            | 24   |            |
| 3003-0500                       | 3033-0500                      |     | 30                                                                                            | 26   |            |
| 3003-0600                       | 3033-0600                      |     | 32                                                                                            | 28   |            |
| 3003-1300                       | 3033-1300                      | 6   | 26                                                                                            | 22   | .035       |
| 3003-1400                       | 3033-1400                      |     | 28                                                                                            | 24   |            |
| 3003-1500                       | 3033-1500                      |     | 30                                                                                            | 26   |            |
| 3003-1600                       | 3033-1600                      |     | 32                                                                                            | 28   |            |
| 3003-1700                       | 3033-1700                      | 7   | 34                                                                                            | 30   |            |
| 3003-1800                       | 3033-1800                      |     | 36                                                                                            | 32   |            |
| 3003-2300                       | 3033-2300                      |     | 26                                                                                            | 22   |            |
| 3003-2400                       | 3033-2400                      |     | 28                                                                                            | 24   |            |
| 3003-2500                       | 3033-2500                      | 8   | 30                                                                                            | 26   | .038       |
| 3003-2600                       | 3033-2600                      |     | 32                                                                                            | 28   |            |
| 3003-2700                       | 3033-2700                      |     | 34                                                                                            | 30   |            |
| 3003-2800                       | 3033-2800                      |     | 36                                                                                            | 32   |            |
| 3003-3300                       | 3033-3300                      | 8   | 26                                                                                            | 22   | .038       |
| 3003-3400                       | 3033-3400                      |     | 28                                                                                            | 24   |            |
| 3003-3500                       | 3033-3500                      |     | 30                                                                                            | 26   |            |
| 3003-3600                       | 3033-3600                      |     | 32                                                                                            | 28   |            |
| 3003-3700                       | 3033-3700                      | 8   | 34                                                                                            | 30   | .038       |
| 3003-3800                       | 3033-3800                      |     | 36                                                                                            | 32   |            |


box: 10 units



both ends open - side holes only in pigtail **with** guide wire, 150 cm

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø   | length<br> |      | guide-wire |
|---------------------------------|--------------------------------|-----|-------------------------------------------------------------------------------------------------|------|------------|
|                                 |                                | CH  | A cm                                                                                            | B cm | Ø / inch   |
| 3004-0310                       | 3034-0310                      | 4,5 | 26                                                                                              | 22   | .032       |
| 3004-0410                       | 3034-0410                      |     | 28                                                                                              | 24   |            |
| 3004-0510                       | 3034-0510                      |     | 30                                                                                              | 26   |            |
| 3004-0610                       | 3034-0610                      |     | 32                                                                                              | 28   |            |
| 3004-1310                       | 3034-1310                      | 6   | 26                                                                                              | 22   | .035       |
| 3004-1410                       | 3034-1410                      |     | 28                                                                                              | 24   |            |
| 3004-1510                       | 3034-1510                      |     | 30                                                                                              | 26   |            |
| 3004-1610                       | 3034-1610                      |     | 32                                                                                              | 28   |            |
| 3004-2310                       | 3034-2310                      | 7   | 26                                                                                              | 22   |            |
| 3004-2410                       | 3034-2410                      |     | 28                                                                                              | 24   |            |
| 3004-2510                       | 3034-2510                      |     | 30                                                                                              | 26   |            |
| 3004-2610                       | 3034-2610                      |     | 32                                                                                              | 28   |            |
| 3004-3310                       | 3034-3310                      | 8   | 26                                                                                              | 22   | .038       |
| 3004-3410                       | 3034-3410                      |     | 28                                                                                              | 24   |            |
| 3004-3510                       | 3034-3510                      |     | 30                                                                                              | 26   |            |
| 3004-3610                       | 3034-3610                      |     | 32                                                                                              | 28   |            |

box: 10 units



**Steerable ureteral stent set  
“optimatic”**

- Material: polyurethane
- Application system
- Marking




## Steerable ureteral stent set “optimatic”



**both ends open with guide wire, 150 cm**

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø  | length<br> |      | guide-wire |
|---------------------------------|--------------------------------|----|-----------------------------------------------------------------------------------------------|------|------------|
|                                 |                                | CH | A cm                                                                                          | B cm | Ø / inch   |
| 3012-1300                       | 3042-1300                      | 6  | 26                                                                                            | 22   | .035       |
| 3012-1400                       | 3042-1400                      |    | 28                                                                                            | 24   |            |
| 3012-1500                       | 3042-1500                      |    | 30                                                                                            | 26   |            |
| 3012-1600                       | 3042-1600                      |    | 32                                                                                            | 28   |            |
| 3012-1700                       | 3042-1700                      |    | 34                                                                                            | 30   |            |
| 3012-1800                       | 3042-1800                      |    | 36                                                                                            | 32   |            |
| 3012-2300                       | 3042-2300                      | 7  | 26                                                                                            | 22   |            |
| 3012-2400                       | 3042-2400                      |    | 28                                                                                            | 24   |            |
| 3012-2500                       | 3042-2500                      |    | 30                                                                                            | 26   |            |
| 3012-2600                       | 3042-2600                      |    | 32                                                                                            | 28   |            |
| 3012-2700                       | 3042-2700                      |    | 34                                                                                            | 30   |            |
| 3012-2800                       | 3042-2800                      |    | 36                                                                                            | 32   |            |
| 3012-3300                       | 3042-3300                      | 8  | 26                                                                                            | 22   | .038       |
| 3012-3400                       | 3042-3400                      |    | 28                                                                                            | 24   |            |
| 3012-3500                       | 3042-3500                      |    | 30                                                                                            | 26   |            |
| 3012-3600                       | 3042-3600                      |    | 32                                                                                            | 28   |            |
| 3012-3700                       | 3042-3700                      |    | 34                                                                                            | 30   |            |
| 3012-3800                       | 3042-3800                      |    | 36                                                                                            | 32   |            |


**both ends open without guide wire**

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø  | length<br> |      | guide-wire |
|---------------------------------|--------------------------------|----|-------------------------------------------------------------------------------------------------|------|------------|
|                                 |                                | CH | A cm                                                                                            | B cm | Ø / inch   |
| 3012-1430                       | 3042-1430                      | 6  | 28                                                                                              | 24   | .035       |
| 3012-1530                       | 3042-1530                      |    | 30                                                                                              | 26   |            |
| 3012-1630                       | 3042-1630                      |    | 32                                                                                              | 28   |            |
| 3012-2430                       | 3042-2430                      | 7  | 28                                                                                              | 24   |            |
| 3012-2530                       | 3042-2530                      |    | 30                                                                                              | 26   |            |
| 3012-2630                       | 3042-2630                      | 8  | 32                                                                                              | 28   |            |
| 3012-3430                       | 3042-3430                      |    | 28                                                                                              | 24   | .038       |
| 3012-3530                       | 3042-3530                      |    | 30                                                                                              | 26   |            |
| 3012-3630                       | 3042-3630                      |    | 32                                                                                              | 28   |            |


**distal end closed with guide wire, 150 cm and fixation clip**

| order code<br><b>OptiSoft</b> ■ | Ø  | length<br> |      | guide-wire |
|---------------------------------|----|-------------------------------------------------------------------------------------------------|------|------------|
|                                 | CH | A cm                                                                                            | B cm | Ø / inch   |
| 3011-1300                       | 6  | 26                                                                                              | 22   | .035       |
| 3011-1400                       |    | 28                                                                                              | 24   |            |
| 3011-1500                       |    | 30                                                                                              | 26   |            |
| 3011-1600                       |    | 32                                                                                              | 28   |            |
| 3011-2300                       |    | 26                                                                                              | 22   |            |
| 3011-2400                       | 7  | 28                                                                                              | 24   |            |
| 3011-2500                       |    | 30                                                                                              | 26   |            |
| 3011-2600                       |    | 32                                                                                              | 28   |            |
| 3011-3300                       |    | 26                                                                                              | 22   |            |
| 3011-3400                       | 8  | 28                                                                                              | 24   | .038       |
| 3011-3500                       |    | 30                                                                                              | 26   |            |
| 3011-3600                       |    | 32                                                                                              | 28   |            |

box: 10 units



**Ureteral stent set,  
multilength**

- Material: polyurethane
- Pusher
- Marking




## Ureteral stent set, multilength


**both ends open with guide wire, 150 cm**

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø   | length<br> |       | guide-wire |
|---------------------------------|--------------------------------|-----|-----------------------------------------------------------------------------------------------|-------|------------|
|                                 |                                | CH  | A cm                                                                                          | B cm  | Ø / inch   |
| 3014-1000                       | 3044-1000                      | 4,5 | 24-32                                                                                         | 20-28 | .032       |
| 3014-2000                       | 3044-2000                      | 6   |                                                                                               |       | .035       |
| 3014-3000                       | 3044-3000                      | 7   |                                                                                               |       |            |
| 3014-4000                       | 3044-4000                      | 8   |                                                                                               |       | .038       |


**both ends open without guide wire**

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø   | length<br> |       | guide-wire |
|---------------------------------|--------------------------------|-----|-----------------------------------------------------------------------------------------------|-------|------------|
|                                 |                                | CH  | A cm                                                                                          | B cm  | Ø / inch   |
| 3014-1030                       | -                              | 4,5 | 24-32                                                                                         | 20-28 | .032       |
| 3014-2030                       | -                              | 6   |                                                                                               |       | .035       |
| 3014-3030                       | -                              | 7   |                                                                                               |       |            |
| 3014-4030                       | -                              | 8   |                                                                                               |       | .038       |


box: 10 units


**Steerable ureteral stent set  
“optimatic“, multilength**


- Material: polyurethane
- Application system
- Marking

## Steerable ureteral stent set “optimatic“, multilength


**both ends open with guide wire, 150 cm**

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø  | length<br> |       | guide-wire |
|---------------------------------|--------------------------------|----|-------------------------------------------------------------------------------------------------|-------|------------|
|                                 |                                | CH | A cm                                                                                            | B cm  | Ø / inch   |
| 3014-2060                       | 3044-2060                      | 6  | 24-32                                                                                           | 20-28 | .035       |
| 3014-3060                       | 3044-3060                      | 7  |                                                                                                 |       |            |
| 3014-4060                       | 3044-4060                      | 8  |                                                                                                 |       | .038       |


**both ends open without guide wire**

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø  | length<br> |       | guide-wire |
|---------------------------------|--------------------------------|----|-------------------------------------------------------------------------------------------------|-------|------------|
|                                 |                                | CH | A cm                                                                                            | B cm  | Ø / inch   |
| 3014-2065                       | 3044-2065                      | 6  | 24-32                                                                                           | 20-28 | .035       |
| 3014-3065                       | 3044-3065                      | 7  |                                                                                                 |       |            |
| 3014-4065                       | 3044-4065                      | 8  |                                                                                                 |       | .038       |

box: 10 units



### Ex-stent tumor ureteral stent set

- Material: polyurethane
- Reinforced shaft
- Platinum marker
- Pusher
- Marking



## Ex-stent tumor ureteral stent set



both ends open with guide wire, 150 cm

| order code<br>OptiSoft ■ | Ø  | length<br>A<br>B |      | guide-wire |
|--------------------------|----|------------------|------|------------|
|                          | CH | A cm             | B cm | Ø / inch   |
| 3016-1300                | 6  | 26               | 22   | .035       |
| 3016-1400                |    | 28               | 24   |            |
| 3016-1500                |    | 30               | 26   |            |
| 3016-1600                |    | 32               | 28   |            |
| 3016-1700                |    | 34               | 30   |            |
| 3016-1800                |    | 36               | 32   |            |
| 3016-2300                | 7  | 26               | 22   |            |
| 3016-2400                |    | 28               | 24   |            |
| 3016-2500                |    | 30               | 26   |            |
| 3016-2600                |    | 32               | 28   |            |
| 3016-2707                |    | 34               | 30   |            |
| 3016-2800                |    | 36               | 32   |            |
| 3016-3300                | 8  | 26               | 22   | .038       |
| 3016-3400                |    | 28               | 24   |            |
| 3016-3500                |    | 30               | 26   |            |
| 3016-3600                |    | 32               | 28   |            |
| 3016-3800                |    | 34               | 30   |            |
| 3016-3900                |    | 36               | 32   |            |



both ends open without guide wire

| order code<br>OptiSoft ■ | Ø  | length<br>A<br>B |      | guide-wire |
|--------------------------|----|------------------|------|------------|
|                          | CH | A cm             | B cm | Ø / inch   |
| 3016-1430                | 6  | 28               | 24   | .035       |
| 3016-1530                |    | 30               | 26   |            |
| 3016-1630                |    | 32               | 28   |            |
| 3016-2430                | 7  | 28               | 24   |            |
| 3016-2530                |    | 30               | 26   |            |
| 3016-2630                |    | 32               | 28   |            |
| 3016-3430                | 8  | 28               | 24   | .038       |
| 3016-3530                |    | 30               | 26   |            |
| 3016-3630                |    | 32               | 28   |            |

box: 5 units



**Steerable Ex-stent tumor ureteral stent set "optimatic"**

- Material: polyurethane
- Reinforced shaft
- Platinum marker
- Application system
- Marking




## Steerable Ex-stent tumor ureteral stent set „optimatic“


**both ends open with guide wire, 150 cm**

| order code<br><b>OptiSoft</b> ■ | Ø  | length<br> |      | guide-wire |
|---------------------------------|----|-----------------------------------------------------------------------------------------------|------|------------|
|                                 | CH | A cm                                                                                          | B cm | Ø / inch   |
| 3017-1300                       | 6  | 26                                                                                            | 22   | .035       |
| 3017-1400                       |    | 28                                                                                            | 24   |            |
| 3017-1500                       |    | 30                                                                                            | 26   |            |
| 3017-1600                       |    | 32                                                                                            | 28   |            |
| 3017-1700                       |    | 34                                                                                            | 30   |            |
| 3017-1800                       |    | 36                                                                                            | 32   |            |
| 3017-2300                       | 7  | 26                                                                                            | 22   |            |
| 3017-2400                       |    | 28                                                                                            | 24   |            |
| 3017-2500                       |    | 30                                                                                            | 26   |            |
| 3017-2600                       |    | 32                                                                                            | 28   |            |
| 3017-2700                       |    | 34                                                                                            | 30   |            |
| 3017-2800                       |    | 36                                                                                            | 32   |            |
| 3017-3300                       | 8  | 26                                                                                            | 22   | .038       |
| 3017-3400                       |    | 28                                                                                            | 24   |            |
| 3017-3500                       |    | 30                                                                                            | 26   |            |
| 3017-3600                       |    | 32                                                                                            | 28   |            |
| 3017-3700                       |    | 34                                                                                            | 30   |            |
| 3017-3800                       |    | 36                                                                                            | 32   |            |


**both ends open without guide wire**

| order code<br><b>OptiSoft</b> ■ | Ø  | length<br> |      | guide-wire |
|---------------------------------|----|-------------------------------------------------------------------------------------------------|------|------------|
|                                 | CH | A cm                                                                                            | B cm | Ø / inch   |
| 3017-1405                       | 6  | 28                                                                                              | 24   | .035       |
| 3017-1530                       |    | 30                                                                                              | 26   |            |
| 3017-1630                       |    | 32                                                                                              | 28   |            |
| 3017-2330                       | 7  | 26                                                                                              | 22   |            |
| 3017-2405                       |    | 28                                                                                              | 24   |            |
| 3017-2530                       |    | 30                                                                                              | 26   |            |
| 3017-2630                       |    | 32                                                                                              | 28   |            |
| 3017-3430                       | 8  | 28                                                                                              | 24   | .038       |
| 3017-3530                       |    | 30                                                                                              | 26   |            |
| 3017-3630                       |    | 32                                                                                              | 28   |            |

box: 5 units



### Coated ureteral stent set


- Material: polyurethane
- „Diamond like Carbon“ coating
- Pusher
- Marking



## Coated ureteral stent set




both ends open **with** guide wire, 150 cm

| order code<br><b>CarboSoft</b> ■ | Ø  | length<br> |      | guide-wire |
|----------------------------------|----|-----------------------------------------------------------------------------------------------|------|------------|
|                                  | CH | A cm                                                                                          | B cm | Ø / inch   |
| 3090-1400                        | 6  | 28                                                                                            | 24   | .035       |
| 3090-1500                        |    | 30                                                                                            | 26   |            |
| 3090-1600                        |    | 32                                                                                            | 28   |            |
| 3090-2400                        | 7  | 28                                                                                            | 24   |            |
| 3090-2500                        |    | 30                                                                                            | 26   |            |
| 3090-2600                        |    | 32                                                                                            | 28   |            |
| 3090-3400                        | 8  | 28                                                                                            | 24   | .038       |
| 3090-3500                        |    | 30                                                                                            | 26   |            |
| 3090-3600                        |    | 32                                                                                            | 28   |            |



both ends open **without** guide wire

| order code<br><b>CarboSoft</b> ■ | Ø  | length<br> |      | guide-wire |
|----------------------------------|----|-------------------------------------------------------------------------------------------------|------|------------|
|                                  | CH | A cm                                                                                            | B cm | Ø / inch   |
| 3090-1430                        | 6  | 28                                                                                              | 24   | .035       |
| 3090-1530                        |    | 30                                                                                              | 26   |            |
| 3090-1630                        |    | 32                                                                                              | 28   |            |
| 3090-2430                        | 7  | 28                                                                                              | 24   |            |
| 3090-2530                        |    | 30                                                                                              | 26   |            |
| 3090-2630                        |    | 32                                                                                              | 28   |            |
| 3090-3430                        | 8  | 28                                                                                              | 24   | .038       |
| 3090-3530                        |    | 30                                                                                              | 26   |            |
| 3090-3630                        |    | 32                                                                                              | 28   |            |

box: 10 units



### Renal transplantation ureteral stent set


- Material: polyurethane
- Pusher
- Marking



## Renal transplantation ureteral stent set



both ends open **with** guide wire, 100 cm

| order code<br><b>OptiSoft</b> <span style="color: #0070C0;">■</span> | Ø  | length<br> |      | guide-wire |
|----------------------------------------------------------------------|----|-----------------------------------------------------------------------------------------------|------|------------|
|                                                                      | CH | A cm                                                                                          | B cm | Ø / inch   |
| 3004-6300                                                            | 6  | 12                                                                                            | 8    | .035       |
| 3004-6400                                                            |    | 14                                                                                            | 10   |            |
| 3004-6500                                                            |    | 16                                                                                            | 12   |            |
| 3004-6600                                                            |    | 18                                                                                            | 14   |            |
| 3004-7300                                                            | 7  | 12                                                                                            | 8    |            |
| 3004-7400                                                            |    | 14                                                                                            | 10   |            |
| 3004-7500                                                            |    | 16                                                                                            | 12   |            |
| 3004-7600                                                            |    | 18                                                                                            | 14   |            |
| 3004-8300                                                            | 8  | 12                                                                                            | 8    | .038       |
| 3004-8400                                                            |    | 14                                                                                            | 10   |            |
| 3004-8500                                                            |    | 16                                                                                            | 12   |            |
| 3004-8600                                                            |    | 18                                                                                            | 14   |            |

box: 5 units

**Mono-J endoprosthesis set**

- Material: polyurethane
- Catheter connector
- Marking



## Mono-J endoprosthesis set



*both ends open with guide wire, 150 cm*

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø  | length | guide-wire |
|---------------------------------|--------------------------------|----|--------|------------|
|                                 |                                | CH | cm     | Ø / inch   |
| 3008-1100                       | 3038-1100                      | 6  | 70     | .035       |
| 3008-2100                       | 3038-2100                      | 7  |        |            |
| 3008-3100                       | 3038-3100                      | 8  |        | .038       |
| 3008-4100                       | 3038-4100                      | 9  |        |            |



*distal end closed with guide wire, 150 cm*

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø  | length | guide-wire |
|---------------------------------|--------------------------------|----|--------|------------|
|                                 |                                | CH | cm     | Ø / inch   |
| 3007-6100                       | -                              | 6  | 70     | .035       |
| 3007-7100                       | -                              | 7  |        |            |
| 3007-8100                       | -                              | 8  |        | .038       |
| 3007-9100                       | -                              | 9  |        |            |



*both ends open - side holes only in pigtail with guide wire, 150 cm*

| order code<br><b>OptiSoft</b> ■ | order code<br><b>OptiPur</b> ■ | Ø  | length | guide-wire |
|---------------------------------|--------------------------------|----|--------|------------|
|                                 |                                | CH | cm     | Ø / inch   |
| 3008-1110                       | 3038-1110                      | 6  | 70     | .035       |
| 3008-2110                       | 3038-2110                      | 7  |        |            |
| 3008-3110                       | 3038-3110                      | 8  |        | .038       |
| 3008-4110                       | 3038-4110                      | 9  |        |            |

box: 10 units



**Pediatric ureteral stent set**

- Material: polyurethane
- Pusher
- Marking




## Pediatric ureteral stent set


**both ends open with guide wire, 100 cm**

| order code<br>OptiSoft | Ø  | length<br> |      | guide-wire |
|------------------------|----|-----------------------------------------------------------------------------------------------|------|------------|
|                        | CH | A cm                                                                                          | B cm | Ø / inch   |
| 3001-1010              | 3  | 10                                                                                            | 8    | .021       |
| 3001-1020              |    | 12                                                                                            | 10   |            |
| 3001-1030              |    | 14                                                                                            | 12   |            |
| 3001-1040              |    | 16                                                                                            | 14   |            |
| 3001-1050              |    | 18                                                                                            | 16   |            |
| 3001-1060              |    | 20                                                                                            | 18   |            |
| 3001-1070              |    | 22                                                                                            | 20   |            |
| 3001-1100              | 4  | 10                                                                                            | 8    | .025       |
| 3001-1200              |    | 12                                                                                            | 10   |            |
| 3001-1300              |    | 14                                                                                            | 12   |            |
| 3001-1400              |    | 16                                                                                            | 14   |            |


**distal end closed with guide wire, 100 cm and fixation clip**

| order code<br>OptiSoft | Ø  | length<br> |      | guide-wire |
|------------------------|----|-------------------------------------------------------------------------------------------------|------|------------|
|                        | CH | A cm                                                                                            | B cm | Ø / inch   |
| 3001-0010              | 3  | 10                                                                                              | 8    | .021       |
| 3001-0020              |    | 12                                                                                              | 10   |            |
| 3001-0030              |    | 14                                                                                              | 12   |            |
| 3001-0040              |    | 16                                                                                              | 14   |            |
| 3001-0100              | 4  | 10                                                                                              | 8    | .025       |
| 3001-0200              |    | 12                                                                                              | 10   |            |
| 3001-0300              |    | 14                                                                                              | 12   |            |
| 3001-0400              |    | 16                                                                                              | 14   |            |


box: 5 units


**Pediatric ureteral stent set "MultiTechnique"**

- Material: polyurethane
- Pusher
- Marking

## Pediatric ureteral stent set "MultiTechnique"


**both ends open with guide wire, 100 cm**

| order code<br>OptiSoft | Ø  | length<br> |      | total length | guide-wire |
|------------------------|----|------------------------------------------------------------------------------------------------|------|--------------|------------|
|                        | CH | A cm                                                                                           | B cm | cm           | Ø / inch   |
| 3001-1031              | 3  | 14                                                                                             | 12   | 26-34        | .021       |
| 3001-1301              | 4  |                                                                                                |      |              | .025       |

box: 5 units


**VarioTip Premium ureteral catheter**

- Radiopaque
- Marking in 1 cm steps
- Stylet
- Contrast medium adapter
- Tungsten tip
- Material: nylon

## VarioTip Premium ureteral catheter

**straight, open**

| <i>order code</i> | <i>side holes</i> | Ø  | <i>length</i> | <i>guide-wire</i> |
|-------------------|-------------------|----|---------------|-------------------|
|                   |                   | CH | cm            | Ø / inch          |
| 3331-0120         | 0                 | 3  | 70            | .025              |
| 3331-1120         | 0                 | 4  |               | .035              |
| 3331-1100         | 1                 |    |               | .035              |
| 3331-1110         | 2                 |    |               | .035              |
| 3331-2120         | 0                 | 5  |               | .038              |
| 3331-2100         | 1                 |    |               | .038              |
| 3331-2110         | 2                 |    |               | .038              |
| 3331-3120         | 0                 | 6  |               | .038              |
| 3331-3100         | 1                 |    |               | .038              |
| 3331-3110         | 2                 |    |               | .038              |
| 3331-4120         | 0                 | 7  |               | .038              |
| 3331-4110         | 2                 |    |               | .038              |

**curved, open**

|           |   |   |    |      |
|-----------|---|---|----|------|
| 3333-0120 | 0 | 3 | 70 | .025 |
| 3333-1120 | 0 | 4 |    | .035 |
| 3333-1100 | 1 |   |    | .035 |
| 3333-1110 | 2 |   |    | .035 |
| 3333-2120 | 0 | 5 |    | .038 |
| 3333-2100 | 1 |   |    | .038 |
| 3333-2110 | 2 |   |    | .038 |
| 3333-3120 | 0 | 6 |    | .038 |
| 3333-3110 | 2 |   |    | .038 |
| 3333-4120 | 0 | 7 |    | .038 |

box: 10 units


**VarioTip ureteral catheter**

- Radiopaque
- 30° angled tip, open tip
- Marking in 1 cm steps
- Stylet
- Contrast medium adapter
- Material: polyurethane

## VarioTip ureteral catheter

| order code | order code | Ø  | length | guide wire |
|------------|------------|----|--------|------------|
| 10 units   | 50 units   | CH | cm     | Ø / inch   |
| 3105-0010  | 3105-0050  | 5  | 70     | .038       |



# Aquilant

## **Aquilant GI Intervention**

Aquilant House, Unit B1-B2, Bond Close, Kingsland Business Park,  
Basingstoke, Hampshire, RG24 8PZ, United Kingdom

**T** +44 (0)1256 365 454

**F** +44 (0)1256 365 486

**E** [contactus@aquilantservices.com](mailto:contactus@aquilantservices.com)

**W** [www.aquilantservices.com](http://www.aquilantservices.com)